



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 25, 2016

H&R Waterworks, Inc.
Attn: Stephen Harrington
PO Box 3
East Olympia, WA 98540

Re: Water Right No. G2-27878 for Hamma Ridge Water System

Dear Mr. Harrington:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reason below:

- Due diligence is shown in development of water under this permit.
- Additional time is needed to develop full use of water due to local economic conditions and development plans of individual lot owners in the service area.

The new deadline to submit your *Proof of Appropriation of Water* is **June 1, 2021**.

Enclosed is Second Amended Permit No. G2-27878. The permit provisions have been updated and the water right has been conformed as a right for municipal supply purposes. Please note that chloride monitoring and reporting was required as an original condition of issuing this permit and that these conditions still apply. Concurrent measurements of static water levels are also required. You must submit this data, annually, in order to keep this permit in good standing and to be eligible for future permit extensions.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.



- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature
 Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher
 Section Manager
 SWRO Water Resources

MJG:MP:th

Enclosures: *Proof of Appropriation of Water*
Your Right to Be Heard

BY CERTIFIED MAIL: 7015 0640 0001 0768 2485